



EXTINGUISHING AGENTS- ABC EXTING. POWDER STANDARD UL 299

	QFIRE-75 (ABC 75)	
Main Components		Mono Ammonium Phosphate and Ammonium Sulphate
MAP Content	%	75
Bulk Density (*)	g/ml	≥ 0.70
Sieve Analysis (*) Retained on 270 µm Retained on 200 µm Retained on 140 µm	%	9-21 9-21 9-17
Water Repellency (*)	%	≤2
Hygroscopicity (*)	%	Positive
Thermal Stability From: To:	°C	-60 +85

(*)All the products are manufactured according to the STANDARD UL 299

Physical Risks: No toxicological hazards, neither during handling nor during the application of the extinguisher. (Ecotoxicity Test EC₅₀)

Durability: Products' durability is guaranteed for at least 5 years, while no change or deformation in its properties, occur and as long as manufacturer's instructions concerning handling and storage are followed.

QUÍMICA 21, S.L. reserves its right for any possible modification.